

# INDEX

VOLUME VIII (January 1 to December 31, 1966, pages 1 to 108)

(Note—Page numbers not in bold-face type indicate only brief references.)

- A**  
**ACTH**  
 for gout, 99  
**APC**, 7  
 Abortion, habitual  
 use of progestins in, 43  
 Acetaminophen, 7  
 Acetanilid, 7  
 Acetohexamide, 77  
 Acetophenetidin, 7  
 Achromycin, 102  
 intravenous, 20  
 Acidifying agents  
 and urinary calculi, 104  
 Actasal, 8  
 Addison's disease in women  
 androgens for, 35  
 Adrenochrome monosemicarba-  
 zone, 39  
 Adrenosem and hemostasis, 39  
 Adrenoxyl, 39  
 Adroyd, 35  
 Aerosols, inhalant, 89  
 for respiratory insufficiency,  
 64  
 Albamycin, 65  
 Albumin, serum  
 use in shock, 25  
 Albumisol  
 use in shock, 26  
 Albustix, 103  
 Alcohol  
 for surgical scrub, 11, 55  
 Alkeran  
 and multiple myeloma, 32  
 Alkylating agents, 32  
 Allopurinol, 98  
 alphaRedisol, 2  
 Aluminum carbonate gel, 104  
 Aluminum hydroxide gel, 104  
 Aminophylline, 63  
 Aminopyrine, 8  
 Amitriptyline, 14  
 Amniocentesis  
 in erythroblastosis fetalis, 85  
 Amodiaquine dihydrochloride  
 for malaria, 22  
 Amphetamines, 53  
 for respiratory insufficiency, 63  
 Amphojel, 104  
 Amphotericin B  
 hazards in patients with impaired  
 renal function, 34  
 Anabolic steroids, 35  
 and liver injury, 36, 52  
 Anadrol, 35  
 Analgesics, non-narcotic, 7  
 Anavar, 35  
 Androgens, 35  
 and liver injury, 36, 52  
 Anemia, aplastic, in children  
 androgens for, 35  
 Anemia, megaloblastic, 1  
 Anemia, pernicious, 1  
 Anesthetics, local, 97  
 Angina pectoris  
 dipyridamole (Persantin)  
 for, 27  
 erythritol tetranitrate  
 (Cardilate) for, 28  
 nitroglycerin for, 28  
 pentaerythritol tetranitrate  
 (Peritrate) and, 6  
 Anisotropine methylbromide, 91  
 Anogenital itching, 30  
 topical steroids for, 37
- Anti-anginal drugs, 6, 27, 28  
 Antibacterial soap, 10  
 Antibiotics, 11, 19, 21, 45, 57, 65,  
 79, 93, 101  
 dosage for resistant  
 staphylococci, 46  
 plasma protein binding of, 107  
 serum concentration of, 33  
 for severe burns, 40  
 toxic accumulation of, 34  
 Anticholinergics, 90  
 Antidepressants, 14  
 Antihistamines, 53, 89  
 for itching, 51  
 for muscle cramps, 83  
 Anti-inflammatory drugs, 7  
 Antimetabolites  
 for psoriasis, 42
- ANTIMICROBIAL AGENTS**,  
 choice of when infecting  
 organisms have not been  
 identified, 57
- NOTE: Issue No. 197 (pp. 57-60)  
 lists antimicrobial drugs of first choice  
 and alternative drugs for use when  
 the infecting organisms have not been  
 identified. The drugs are not listed  
 separately.*
- Antimicrobial agents  
 serum concentration of, 33  
 for severe burns, 40  
 toxic accumulation of, 34  
 Antipyrine, 8  
 Antiseptics  
 Clorpectin, 48  
 in Head and Shoulders  
 shampoo, 20  
 InterSept, 55  
 Antispasmodics, 90  
 Antitussive drugs, 4  
 Antrenyl, 91  
 Anturane, 98  
 Anxiety, therapy for, 14  
 Apamide, 8  
 Aralen  
 for malaria, 22  
 Aristocort Topical, 37  
 Arrhythmias, 66  
 Arthritis, 8  
 Arthropan, 7  
 Ascorbic acid  
 as urine acidifier, 104  
 Aspirin, 7  
 Atropine, 91  
 Aureomycin, 101  
 intravenous, 20  
 Auto accidents and drugs, 53  
 Azauridine, triacetyl  
 for psoriasis, 42
- B**  
**BCG vaccine**, 17  
 Bacteriuria  
 Stat-Test for, 62  
 Bantline, 91  
 Barbiturates  
 respiratory depression  
 caused by, 63  
 Barium enema examination,  
 preparation for, 23  
 Basaljel, 104  
 Benemid, 12, 98  
 Betamethasone valerate, 37  
 Betnovate, 37  
 Bisacodyl, 24, 87
- Bleeding  
 Adrenosem for, 39  
 Blood, whole  
 use in shock, 25  
 Blood analysis, 86  
 Blood volume  
 devices for measuring, 26, 56  
 Bowel surgery, preparation for, 23  
 Bristacycline  
 intravenous, 20  
 Bronchodilator drugs  
 for chronic respiratory  
 insufficiency, 64  
 Burns, severe  
 chemotherapy for, 39  
 shock resulting from, 25  
 Butazolidin, 8  
 for gout, 99
- C**  
**C-Quens**, 61  
 Calculi, urinary  
 prevention of, 103  
 Camoquin  
 for malaria, 22  
 Cancer, 32  
**CANCER, CHOICE OF THERAPY  
 FOR**, 69  
*NOTE: Issue No. 200 (pp. 69-76)  
 lists drugs of first choice and alterna-  
 tive drugs for the treatment of  
 cancer. The drugs are not indexed  
 separately.*  
 Cancer  
 use of oxychlorosene  
 (Clorpectin) for, 48  
 Cancer, mammary  
 androgens for, 35  
 Carbanilides, halogenated, 10  
 Carbocaine, 97  
 Carbonic anhydrase inhibitors  
 for respiratory insufficiency, 64  
 Cardiac arrhythmias  
 drugs for, 66  
 Cardiac failure  
 and dipyridamole  
 (Persantin), 27  
 Cardiac glycosides  
 for arrhythmias, 67  
 Cardilate, 7, 28  
 Cardioquin, 66  
 Carter's Little Pills, 87  
 Cascara, 87  
 Cas-Evac, 88  
 Catheter infections, urinary  
 prevention of, 49  
 Cephalothin, 33  
 for gonorrhea, 80  
 for staphylococcal infections,  
 46  
 for streptococcal pharyngitis,  
 22  
 Cetyl alcohol, 55  
 correction, 68  
 Chloral hydrate  
 compared with methaqualone  
 (Quaalude), 29  
 Chloramphenicol  
 hazards in the newborn, 34  
 Chlordiazepoxide  
 and auto accidents, 53  
 Chloroquine  
 for malaria, 22  
 Chlorpropamide, 77
- Chlortetracycline, 101  
 Choline salicylate, 7  
 Citanest, 97  
 Clomid, 47  
 Clomiphene citrate, 47  
 Clorpectin, 48  
 Cloxacillin, 21, 45, 108  
 Clyserol, 24  
 Codeine  
 for coughs, 3  
 Colchicine, 98  
 Cold vaccines, 2  
 Combistix, 103  
 Constipation, 87  
 Contraception, rhythm method  
 of, 91  
 Contraceptives, intrauterine, 81  
 Contraceptives, oral, 82  
 combined versus sequential  
 therapy, 61  
 and liver disease, 61  
 Ovulen, 61  
 side effects of, 9  
 Cordran, 37  
 Coronary artery disease  
 dipyridamole (Persantin)  
 for, 27  
 pentaerythritol tetranitrate  
 (Peritrate) for, 5, 6  
 Coronary vasodilating drugs, 27  
 Corticosteroids, see Steroids,  
 adrenal  
 Cough, drugs for, 3  
 Cozyme, 88  
 Cyanocobalamin, 1  
 Cyclobarbitol  
 compared with methaqualone  
 (Quaalude), 30  
 Cyclophosphamide  
 compared with melphalan  
 (Alkeran), 32  
 Cytomel, 41  
 Cytoxan  
 compared with melphalan  
 (Alkeran), 32
- D**  
 Dandruff, shampoos for, 20  
 Danthron, 87  
 Darvon, 8  
 Decadron phosphate, 89  
 Deca-Durabolin, 35  
 Declomycin, 93, 101, 108  
 Delalutin  
 use in habitual abortion, 43  
 Demethylchlortetracycline, 93,  
 101, 108  
 Depinar, 1  
 Depression, therapy for, 14  
 Dermatoses  
 psoriasis, 37, 42  
 topical steroids for, 30, 37,  
 42, 51  
 Detergents, antibacterial, 10  
 Determatube-SGO, 107  
 Dexamethasone  
 as aerosol, 89  
 Dexpanthenol, 88  
 Dextran  
 use in shock, 25  
 Dextromethorphan  
 hydrobromide, 4  
 Diabetes  
 diagnosis, 16  
 therapy, 77

Diabinese, 77  
 Diagnostotube, 100  
 Dial soap, 13  
 Dianabol, 35  
 Digitalis  
   for cardiac arrhythmias, 67  
 Dimocillin-RT, 45  
 Diphtheria  
   immunization, 17  
 Dipyrindamole, 27  
 Dipyrone, 8  
 Dopram, 63  
 Dorban, 88  
 Doriden, 29  
 Doxapram, 63  
 Drugs and auto accidents, 53  
 Ducobee Depot, 1  
 Ducobee-Hy, 2  
 Dulcolax, 24  
 Durabolin, 35  
 Dymelor, 77

**E**dema  
   topical steroids for, 37  
 Elavil, 14  
 Electric shock for cardiac  
   arrhythmias, 67  
 Elkosin, 14  
 Enema kits, disposable, 23  
 Ephedrine  
   for respiratory insufficiency, 64  
 dl-Epinephrine, 64  
 Erythritol tetranitrate, 28  
 Erythroblastosis fetalis, 85  
 Erythrocin, see Erythromycin  
 Erythromycin  
   for staphylococcal infections,  
   46  
   and streptococcal pharyngitis,  
   21  
 Estrindex, 92  
 Estrogens, 9, 61, 82  
 Ethioheptazine, 8  
 Ethylestrenol, 35  
 Etrafon, 14

**F**elsol, 8  
 Fertility Testor, 92  
 Fetal transfusion, intrauterine, 85  
 Fleet Enema, 24  
 Fletcher's Castoria, 88  
 Fluocinolone acetonide, 37  
 Fluorescein tests for GI  
   bleeding, 100  
 Flurandrenolone acetonide, 37  
 Fogarty catheter, 105  
 Foley catheter  
   and urinary tract infections, 49  
 Folinic acid, 43  
 Furacin  
   as bladder rinse, 50

**G**-I String, 100  
 Gentrin, 14  
 Gastrointestinal bleeding  
   fluorescein tests for, 100  
 Gel-a-dex, 16  
 Gelatin  
   use in shock, 26  
 Gentran  
   use in shock, 26  
 Glucola, 16  
 Glucose tolerance tests, oral, 16  
 Glutethimide, 29  
 Glycerin suppositories, 24  
 Gonococcal infections  
   treatment of, 79  
 Gout, 98

**H**ead and Shoulders shampoo,  
 20  
 Heart block, 68  
 Hema-Combistix, 103  
 Hemolite, 56  
 Hemorrhage  
   Adrenosem for, 39  
   shock resulting from, 25  
 Hemostats, 39  
 Hepatitis, serum  
   risk in transfusion, 25  
 Herpes zoster  
   topical steroids for, 37  
 Hexachlorophene, 10  
   for surgical scrub, 55  
 Hot water for itching, 50  
 Hydrocortisone, 37  
 Hydroxocobalamin, 2  
 Hydroxyethyl starches  
   use in shock, 26  
 Hydroxyprogesterone caproate  
   use in habitual abortion, 43  
 Hypnotics  
   methaqualone (Quaalude), 29  
 Hypogonadism, male  
   androgens for, 35  
 Hypothyroidism, Letter for, 41

**I**lopan, 88  
 Ilopan-Choline, 88  
 Ilosone, see Erythromycin  
 Ilotycin, see Erythromycin  
 Immunization of infants and  
   children, 17  
 Index enema, 24  
 Indomethacin (Indocin), 8  
   for gout, 99

INFECTION, SYSTEMIC, choice  
 of antimicrobial drugs for use when  
 infecting organisms have not  
 been identified, 57

*NOTE: Issue No. 197 (pp. 57-60)  
 lists antimicrobial drugs of first choice  
 and alternative drugs for use when  
 the infecting organisms have not been  
 identified. The drugs are not listed  
 separately.*

Influenza immunization, 3, 78  
 Influenza vaccines, 3, 78  
 Insomnia  
   methaqualone (Quaalude)  
   for, 29  
 InterSept Antiseptic Foam, 55  
 Intrauterine contraceptive  
   devices, 81  
 Intrauterine fetal transfusion, 85  
 Intrinsic factor, 1  
 Iodophors, aqueous  
   for surgical scrub, 55  
 Isoproterenol, 64  
 Isotopes, radioactive  
   for measuring blood volume,  
   56  
 Isuprel, 64  
 Itching  
   anogenital, 30  
   hot water for, 50  
   topical steroids for, 37

**K**anamycin, 108  
   hazards in patients with  
   impaired renal function, 34  
 Keflin, 33  
   for gonorrhea, 80  
   for staphylococcal infections,  
   46  
   for streptococcal pharyngitis,  
   22

Kenalog, 37  
 Kesso-Tetra, 102  
 Key-Pyrone, 8  
 Kynex, warning against, 13

**L**abstix, 103  
 Lavema, 24  
 Laxatives, anthraquinone, 87  
 Letter for hypothyroidism, 41  
 Leucovorin, 43  
 Levallorphan, 63  
 Levoid, 41  
 Levthyroxine, sodium, 41  
 Librium  
   and auto accidents, 53  
 Lidocaine, 97  
   for arrhythmias, 68  
 Lifebuoy soap, 10  
 Lincomycin (Lincocin)  
   for staphylococcal infections,  
   46  
 Lithyronine, sodium, 41  
 Liquiprin, 8  
 Lithium for manic states, 34  
 Liver injury  
   and anabolic-androgenic  
   drugs, 36, 52  
   and oral contraceptives, 61  
 Lofan, 63  
 Lyteca, 8

**M**adribon, warning against, 13  
 Mafenide HCl  
   use in severe burns, 40  
 Malabsorption syndromes and  
   vitamin B<sub>12</sub> deficiency, 1  
 Malaria, acute, treatment of, 22  
 Manic states, lithium for, 34  
 Mannitol  
   and respiratory insufficiency,  
   64  
 Maxibolin, 35  
 Measles immunization, 17  
 Medroxyprogesterone acetate  
   use in habitual abortion, 43  
 Melphalan  
   and multiple myeloma, 32  
 Meonine, 104  
 Mepivacaine, 97  
 Meprobamate, 53  
 Methacycline, 93, 101  
 Methantheline bromide, 91  
 Methaqualone and insomnia, 29  
 Methicillin, 45  
 Methotrexate  
   for psoriasis, 42  
 Methyltestosterone  
   and liver injury, 36, 52  
 Methysergide, 94  
 Midicel, warning against, 13  
 Migraine  
   methysergide (Sansert) for, 94  
 Mineral oil, use in enemas, 24  
 Modane, 88  
 Mononucleosis, infectious  
   tests for, 95  
 Mono-Test, 95  
 Motilyn, 88  
 Muscle cramps  
   nocturnal, 83  
 Mycoplasma vaccines, 3  
 Myeloma, multiple  
   and Alkeran, 32  
 Myocardial infarction  
   and cardiac arrhythmias, 66  
   and pentaerythritol  
   tetranitrate (Peritrate), 5  
   and SGOT, 106

**N**afcillin, 45  
 Nalidixic acid, 53  
   hazards in patients with  
   impaired renal function, 34  
 Nalline, 63  
 Nalorphine HCl, 63  
 Narcotics, 53  
   for cough, 4  
   respiratory depression  
   caused by, 63  
 Nature's Remedy, 87  
 Neo-Betalin 12, 2  
 Neomycin, 108  
   hazards in patients with  
   impaired renal function, 34  
 Neomycin and polymyxin  
   as bladder rinse, 50  
 Neosporin Ophthalmic Solution,  
   80  
 Nilevar, 35  
   and liver injury, 36, 52  
 Nitrofurantoin  
   hazards in patients with  
   impaired renal function, 34  
 Nitrofurazone  
   as bladder rinse, 50  
 Nitroglycerin, 7, 27  
 Norethandrolone  
   and liver injury, 36, 52  
 Novobiocin, 65, 108

**O**racon, 61  
 Orinase, 77  
 Osmitol  
   and respiratory insufficiency,  
   64  
 Osteoporosis  
   and anabolic-androgenic  
   drugs, 35  
 Ovulation  
   drugs to induce, 47  
 Ovulation time  
   determination of, 91  
 Ovulen, 61  
 Oxacillin, 45  
 Oxandrolone, 35  
 Oxychlorosene, sodium, 48  
 Oxyphenbutazone, 8  
   for gout, 99  
 Oxyphenonium bromide, 91  
 Oxytetracycline, 101

**P**BI test  
   and thyroid therapy, 42  
 PVP, use in shock, 26  
 Panalbo, 65  
 Panmycin, 102  
   intravenous, 20  
 Pantothenate, 88  
 Pediamycin, see Erythromycin  
 Penicillin  
   allergy to, 45  
 Penicillin G  
   indications for, 45  
 Penicillin therapy and probenecid,  
   11  
 Penicillin V  
   indications for, 45  
 Penicillins  
   for gonorrhea, 79  
   semi-synthetic, 21, 45  
   and streptococcal  
   pharyngitis, 21  
 Pentaerythritol tetranitrate  
   and angina, 6  
   and myocardial infarction,  
   5, 28  
 Peritrate  
   and myocardial infarction,  
   5, 28

Perphenazine, 14  
 Persantin, 27  
 Pertussis, immunization against, 17  
 Phenodorn  
   compared with methaqualone (Qualude), 30  
 Pharyngitis, streptococcal  
   cloxacillin (Tegopen) for, 21  
 Phenacetin, 7  
 Phenylbutazone, 8  
   for gout, 99  
 pHisoHex, 11  
   for surgical scrub, 55  
 Phosphate-binding agents  
   and urinary calculi, 104  
 Photosensitivity reactions and  
   antibacterial soaps, 11  
 Plasma  
   use in shock, 25  
 Plasma protein fraction  
   use in shock, 25  
 Plasmanate  
   use in shock, 26  
 Poison ivy itching  
   hot water for, 51  
 Poliomyelitis immunization, 17  
 Polycycline  
   intravenous, 20  
 Polymyxin and neomycin  
   as bladder rinse, 50  
 Polymyxins  
   hazards in patients with  
     impaired renal function, 34  
 Polyvinylpyrrolidone  
   use in shock, 26  
 Pregnancy  
   dangers of anabolic-  
     androgenic drugs in, 36  
 Prilocaine, 97  
 Pro-Banthine with Dartal, 91  
 Probenecid, 98  
   and penicillin therapy, 11  
 Procainamide HCl, 66  
 Progestins, 9, 61, 82  
   use in habitual abortion, 43  
 Prolonged-action sulfonamides  
   warning against, 13  
 Pronestyl, 66  
 Propitocaine, 97  
 Propoxyphene, 8  
 Prostaphlin, 45  
 Proteinuria, detection of, 103  
 Provera, 43  
 Pruritus, see Itching  
 Psoriasis  
   methotrexate for, 42  
   topical steroids for, 37  
 Pyelonephritis, 34  
 Pyralgin, 8

**Q**ualude and insomnia, 29  
 Quinaglate, 66  
 Quinidex Extentabs, 66  
 Quinidine, 66  
 Quinine  
   for malaria, 22  
 Quinine sulfate  
   for muscle cramps, 83

**R**ectalad, 24  
 Renal insufficiency  
   modified drug dosage in, 34

Resistopen, 45  
 Respiraler Decadron, 89  
 Respiratory B. A. C., 3  
 Respiratory insufficiency  
   treatment of, 63  
 Respiratory stimulant drugs, 63  
 Respiratory tract infections, 21  
   vaccines for, 2  
 Rheumatic fever  
   sulfonamides for prophylaxis  
     against, 14  
 Rhinitis, allergic, 89  
 Rhythm method of contraception,  
   91  
 Ringer's injection  
   use in shock, 25  
 Rendomycin, 93, 101  
 Rubramin OH, 2

**S**gOT  
   measurement of, 106  
 SGOT CalSul, 107  
 Safeguard soap, 10  
 Salamide, 8  
 Salicim, 8  
 Salicylamide, 7  
 Salicylanilides, 10  
 Salicylates, 7  
 Salrin, 8  
 Sansert, 94  
 Schizophrenia, therapy, 15  
 Sedatives, 53  
   for itching, 31, 51  
 Selenium sulfide detergent  
   suspension, 20  
 Selsun, 20  
 Senna, 87  
 Senokot, 88  
 Serum albumin, human, 25, 108  
 Serum glutamic oxalic  
   transaminase  
   measurement of, 106  
 Shampoos, anti-dandruff, 20  
 Shock, fluid therapy of, 25  
 Shock, surgical  
   and blood volume  
   measurement, 56  
 Sigmoidoscopy, preparation for, 24  
 Sigmol, 24  
 Silver nitrate, topical  
   use in severe burns, 40  
 Skin infections and antibacterial  
   soaps, 10  
 Smallpox immunization, 17  
 Soaps, antibacterial, 10  
 Staphcillin, 45  
 Staphylococcal infections  
   and novobiocin, 66  
   penicillin G-resistant, 45  
 Stat-Test, 62  
 Steclin, 102  
   intravenous, 20  
 Stenediol, 35  
 Steroids, adrenal  
   for itching, 30, 37, 51  
   for psoriasis, 42  
   for respiratory insufficiency, 64  
 Turbinaire, 89  
 Steroids, topical  
   cost of, 38  
   for skin disorders, 30, 37, 42,  
   51  
 Turbinaire, 89

Streptococcal pharyngitis  
   cloxacillin (Tegopen) for, 21  
 Streptomycin  
   hazards in patients with  
     impaired renal function, 34  
 Sulfadimethoxine, 13  
 Sulfamethizole, 14  
 Sulfamethoxypyridazine, 13  
 Sulfapyrazone, 98  
 Sulfisomidine, 14  
 Sulfisoxazole, 14  
 Sulfonamides  
   choice of, 14  
   hazards in the newborn, 34  
   hazards in patients with  
     impaired renal function, 34  
   prolonged-action, warning  
     against, 13  
 Sumycin, 102  
 Surgery  
   and anabolic-androgenic  
     drugs, 35  
   exercise after, 36  
 Surgical scrub  
   InterSept and other agents  
     for, 55  
   soaps and detergents for, 11  
 Synalar, 37  
 Syntetrix  
   intravenous, 20  
 Synthroid, 41

**T**RIS, 64  
 TTC test, 63  
 Tandearil, 8  
   for gout, 99  
 Tegopen, 21, 45, 108  
 Tempra, 8  
 Terramycin, 33, 101  
   intravenous, 20  
 Testosterone, 35  
   and liver injury, 52  
 Tetanus, immunization against, 17  
 Tetracycline, 101, 108  
   in Panalba, 65  
 Tetracyclines, 93  
   cost of, 102  
   hazards in patients with  
     impaired renal function, 34  
   parenteral, 19  
 Tetracyn  
   intravenous, 20  
 Tetrex, 102, 108  
 Tetrex bidCAPS, 101  
 Tham-E, 64  
 Thiosulfil, 14  
 Thiophenamil HCl, 90  
 Thromboembolism  
   and the Fogarty catheter, 105  
 Thyroid USP, reliability of, 41  
 Tolazamide, 77  
 Tolbutamide, 77  
 Tolinas, 77  
 Topical steroids, see  
   Steroids, topical  
 Tranquilizers, 34, 53  
   Triavil and Etrafon, 14  
 Transac kit, 107  
 Travad, 24  
 Triacetyl azauridine  
   for psoriasis, 42  
 Triamcinolone acetoneide, 37

Triavil, 14  
 Triiodothyronine, 41  
 Trilafon, 14  
 Trisulfapyrimidines, 14  
 Trocinate, 90  
 Tromethamine, 64  
 Tuberculin test, 18  
 Tuberculosis, immunization  
   against, 17  
 Turbinaire, 89  
 Tylenol, 8

**U**nipen, 45  
 Unopettes, 86  
 Urea  
   in respiratory insufficiency, 64  
 Urethane  
   for multiple myeloma, 32  
 Uricosuric agents, 98  
 Urinary calculi  
   prevention of, 103  
 Urinary tract infections  
   and catheterization, 49  
   drug dosage for, 33  
   and Stat-Test, 62  
   sulfonamides for, 14  
   and urinary calculi, 103  
 Uristix, 103  
 Uroscreen, 63

**V**accines  
   for immunization of children,  
   17  
   influenza, 3, 78  
   for respiratory infections, 2  
 Valpin, 90  
 Vancocin, see Vancomycin  
 Vancomycin  
   hazards in patients with  
     impaired renal function, 34  
   for staphylococcal infections,  
   46  
 Vaponefrin, 64  
 Vasopressor drugs  
   for cardiac arrhythmias, 67  
 Velacycline  
   intravenous, 20  
 Vicks Cough Discs, 4  
 Vicks Formula 44, 3  
 Vitamin B<sub>12</sub> preparations,  
   repository, 1  
 Volemetron, 56

**W**instrol, 35  
 Winvac, 3

**X**ylorine, 97  
   for cardiac arrhythmias, 68

**Z**actane, 8  
 Zactirin Compound, 8  
 Zylprim, 98